Rev.8

Date: Nov.,2021

MATERIAL SAFETY DATA SHEET

1. IDENTIFICATION OF THE PRODUCT ANDCOMPANY

1.1 Product Name	Fire Wall
1.2 Product Code	FW0115 (Cable)
1.3 Application	Flame Retardant Paint (Intumescent) - Fire
	protective coating.
1.4 Manufacturer	Mags Novel
	D-103, Prince Apartment
	I P Extension,
	Delhi.110092
	TEL:+9111 22237368, +919810002359

2. COMPOSITION & INFORMATION ONINGREDIENTS

2.1 Chemical Identity	Solvent based enamel paint for Cable and similar substrates.
	Key ingredients
	Chlorinated paraffin Titanium dioxide Antimony trioxide Pentaerythritol Melamine APP
2.2 C.A.S. NO. of Active Ingredients	Solvents Chlorinated paraffin 85535-85-9 Titanium Dioxide 13463-67-7 Antimony Trioxide 1309-64-4 Pentaerythritol 115-77-5 Melamine108-78-1 APP 68333-79-9 Solvants 110-54-3

3. HAZARDIDENTIFICATION

3.1 Hazardous Nature	Dermal: Yes, Ingestion: Yes, Inhalation:
	Yes
	Potential Health Hazards (Acute and Chronic)
	,
	Eyes: Very mild eye irritant. Direct contact

Rev.8

Date: Nov.,2021

with the solution may cause conjunctival irritation.
Skin: Can be mildly irritating upon prolonged exposure.
Ingestion: Can cause gastrointestinal irritation, nausea, vomiting and diarrhea.

4. FIRST AIDMEASURES

4.1 Skin	Can be removed by water wash or water
	and soap.
4.2 Eyes	Rinse with plenty of clean, free flowing
	water. Seek medical attention if necessary
4.3 Inhalation	If inhaled, remove to fresh air .lf not
	breathing, give artificial respiration. If
	breathing is difficult, give oxygen. Call a
	physician immediately.
4.4 Ingestion	Aspiration hazard. If swallowed, do
_	not induce vomiting. Give large quantity
	of fresh water. Get medical attention
	immediately . Never administer liquids by
	mouth to unconscious persons.

5. FIRE FIGHTINGMEASURES

5.1 Extinguishing Media	Use any of the following extinguishing measures Viz .,Carbon dioxide ,Dry chemical powder, foam. Water may be used to flush spills away from exposures and to dilute spills to non flammable mixtures
5.2 Unsuitable Extinguishing Media	None known
5.3 Special Exposure Hazards	Above flash point ,vapor -air mixtures are within mild flammable limits
5.4 Special Protective Equipments	In the unlikely event of a fire ,wear full protective clothing and self contained breathing apparatus with full face piece
5.5 Combustion Products	None known. Material is non-flammable and non-combustible.

6. ACCIDENTAL RELEASEMEASURES

Date: Nov.,2021

6.1 Personal Precautions	Use in a ventilated area. Avoid exposure to
	open flames or sparks.
6.2 Environmental Precautions	Observe local bye-laws. Do not flush to
	sewer.
6.3 Clean up Procedure	Collect liquid in an appropriate container or absorb with an inert material and place in a chemical waste Container. Clean up residue with water and soap.

7. HANDLING ANDSTORAGE

7.1 Handling Precautions	General ventilation is required.
7.2 Storage	Store in any dry place with general ventilation, in closed containers. Avoid breathing vapors.
7.3 Incompatible packaging materials	Advised to use original containers only.

8. EXPOSURE CONTROLS AND PERSONALPROTECTION

8.1 Exposure Controls	Air borne exposure limits : OSHA permissible exposure limit -200ppm (TWA), 500ppm (maximum conc).
8.2 Personal Protective Equipment	Neoprene rubber gloves
8.3 Respiratory Protection	None required if ventilation is adequate.
8.4 Hand Protection	Protective gloves recommended
8.5 Eye Protection	Goggles giving protection to eyes recommended.
8.6 Hygiene Measures	Observe standard industrial hygiene practices for handling of chemical substances. Avoid contact with skin, eyes.

9. PHYSICAL AND CHEMICALPROPERTIES

9.1 Appearance	
Form	Liquid
Color	White
Odor	Characteristic
9.2 Safety Data	

Date: Nov.,2021

Melting Point	Not applicable
Flash Point	>70C of one of the ingredients
Flammability	Not Flammable
Auto Flammability of Active Ingredients	Not Determined
Explosive Properties	Not Applicable
Oxidizing Properties	Not Determined
Relative Density	0.75 - 0.85
Solubility in water	Insoluble
рН	8.5 - 9.5
Vapor Density	(Air = 1.0) > 1
Vapor Pressure	(68 Deg F) <1
Evaporation rate	(Ether = 1) < 1
Boiling Point	>200
Freezing Point	< 0
Specific Gravity	1.22

10. STABILITY ANDREACTIVITY

10.1 Stability	Stable under normal conditions of use and storage. Containers may burst when heated.
10.2 Reactivity	
10.3 Conditions to avoid	Heating
10.4 Materials to avoid contact	Do not bring in contact with any other chemicals except compatible products known in paint industries.
10.5 Hazardous Decomposition	May get oxidized at high temperature with strong oxidizing agents forming Decomposition products. Carbon dioxide and carbon monoxide may form when heated to decomposition.

11. TOXICOLOGICALINFORMATION

11.1 Health Effects	
On Skin	Mild skin Irritant
Eyes	Causes discomfort / irritation
Inhalation	Vapors may cause irritation
Ingestion	Toxic by ingestion
11.2 Other Effects	May cause chronic effects known from
	long term exposures.

12. ECOLOGICALIONFORMATION

Date: Nov.,2021

12.1 Mobility	When released into soil this material
-	may biodegrade to a moderate extent.
12.2 Persistence & Degradability	Not known
12.3 Bio accumulative Potential	Not known
12.4 Ecotoxic	Bacteria toxicity: respiration and
	reproduction inhibition.
12.5 Behaviors in Sewage	Expected to be toxic to aquatic life.

13. DISPOSALCONSIDERATIONS

13.1 Product Disposal	Dispose off according to regulations by
	incineration in a special waste incinerator.
	Observe local bye-laws.
13.2 Packaging Disposal	Since packaging material does not get contaminated, it may be reused/recycled after thorough soap washing. Observe local bye-laws.

14. TRANSPORTINFORMATION

14.1 UN No.	
14.2 Road & Rail Transport	Not known
14.3 GGVS/GGVE	
14.4 IMDG code	Special packaging or labeling
	Requirements - NONE
14.5 Air Transportation (ICAO/IATA)	Non hazardous

15. REGULATORYINFORMATION

15.1 Health & Safety Information on Labels	Non hazardous
15.2 NFPA Ratings	Non hazardous

16.OTHER INFORMATION ANDDATA

The information and data contained in this "Material Safety Data Sheet" is based on our present state of scientific and technical knowledge. Mags Novel does not guarantee the properties of the described products in terms of legal warranty regulations. In all cases, it is the responsibility of the user to determine the applicability of such information or the suitability of any products for their own particular purpose. The physical data presented herein does not purport to be the specifications.
